## Checklist for Avsola (infliximab-axxq) Referral

Required documentation for all initial referrals

Patient	DOB Date □ New Start □ Maintenand	æ		
Please	return <b>completed</b> checklist and checklist items for an infusion referral:			
	Patient demographics (e.g. address, phone number, SSN, etc.)			
	Insurance information and copy of insurance card(s). Please indicate the insurance that is primary, and the insurance that is secondary, if applicable, and the subscriber's date of birth.  o If insurance requires prior authorization, please provide the phone number and allow up to 15-30 days for this to be completed by one of our Infusion Coordinators.			
	Signed and completed Avsola Standard Order (our order form) with ICD diagnosis code  o Standard Order forms are available at lowcountryrheumatology.com/infusions/			
	Supporting clinical MD notes to include any past tried and/or failed therapies, intolerance, outcomes or contraindications to conventional therapy, and how long patient has been on Avsola.			
	Lab results and/or tests to support diagnosis.  o Pre-Screening:			
	<ul> <li>Required TB screening results: PPD (within 1 year) or QuantiFERON Gold Test (within 3 years)</li> <li>Required Hepatitis screening (within 1 year): Hepatitis B Surface Antigen, Hepatitis B Surface Antibody, or Hepatitis B Core Antibody results</li> <li>Lab results within last 60 days: ESR/CRP (if available)</li> <li>Most Recent Rapid 3 (if available)</li> </ul>			
	Please indicate name and direct phone number of a contact within your office that we can speak with to obtain any additional information:  O Name:	1		
	o Phone Number:			
	Paperwork can be faxed to (843)-793-6181			
	Infusion Coordinators can assist you with any questions at (843)-572-8932			
	Low Country Rheumatology Infusion Locations  Please mark preferred location and we will do our best to accommodate, however we cannot make any guarantees.			
	Summerville 2001 2nd Ave, Suite 201, Summerville, SC 29486			
	<b>Mount Pleasant</b> 1100 Johnnie Dodds Blvd, Mt. Pleasant, SC 29464			
	West Ashley 2291 Henry Tecklenburg Drive, Charleston, SC 29414			
docume informa review t	untry Rheumatology Infusion Services will complete insurance verification and submit all required clinical entation to the patient's insurance company for eligibility. Our Infusion Coordinators will notify you if any furth ation is required. The patient will have an annual 30-minute consult with our NP to obtain H&P for chart. We we financial responsibility with the patient and refer them to any available co-pay assistance as required. Thank you referral!	/ill		

Physician \_\_\_\_\_

Low Country Rheumatology Use Only Existing Patient Yes\_\_\_\_ No\_\_\_\_

## Standard Orders for Avsola (infliximab-axxq) Administration

Patient	DOB	Date			
*NOTE: Patient is ineligible to receive Avsola	if they have suspected infectious	process or is receiving antibiotic for active infectious			
process due to the possibility of developing a super infection related to its effect on the immune system.					
<b>Indication:</b> Please indicate the highest level of	of specificity.				
□ K50.0 Crohn's Disease (small	☐ K51.9 Ulcerative Colitis,	□ K60.3 Anal Fistula			
intestine)	Unspecified				
□ K50.1Crohn's Disease (large	□ K51.5Left-sided Ulcerati	ve			
intestine)	(chronic) Colitis				
□ K50.8 Crohn's Disease (small and	□ K51.8 Other Ulcerative (	chronic)			
large intestine)	Colitis				
□ K63.2 Fistula of intestine	☐ K51.0Universal Ulcerative (chronic) Pancolitis	ve			
History:	(cirroffic) Faricontis				
□ Inadequate response to DMARD	□ I Inal	ole to tolerate DMA			
□ Rapid 3		len/tender joints			
□ ESR/CRP		ressive erosive arthropathy			
□HBsAg, HBsAb, HB core Ab, HCAb	<u> </u>	nt or upcoming surgery			
☐ History of skin cancer		int of apconning surgery			
Orders:					
□ Standard Order Protocol:					
<ul> <li>Confirm current PPD, Tspot, or CXR</li> </ul>					
<ul> <li>Confirm HBsAg, HBsAb, HB core Ab</li> </ul>					
Obtain patient weight each visit					
<ul> <li>Evaluate patient for active infection</li> </ul>	s, prior or upcoming surgical proc	edures, medication allergies, congestive heart failure,			
or any current health concerns as n	oted on Infusion Record				
Baseline vitals will be obtained prior to administration, hourly during infusion and at the end of the infusion. Vital signs will					
be obtained more frequently if patient's condition warrants it.					
• Titrate infusion over 2 hours as recommended in Janssen Infusion Guide for doses 1-4, and for patients receiving pre-meds					
due to previous infusion reaction. After dose 4, titrate infusion over 1 hour as tolerated.					
If infusion reaction occurs, slow or stop infusion, and initiate infusion reaction protocol per Articularis Healthcare Policy and Described Advanced.					
and Procedure Manual.					
<ul> <li>Discharge instructions to include possible infusion side effects and follow-up appointment schedule</li> </ul>					
Dose:					
☐ Avsola (infliximab-axxq)	_mg/kg in Normal Saline IV				
Frequency:					
Initiation of Avsola to be administ	ered at week(s) 0, 2, and 6				
□ Maintenance dose every	weeks				
Premedicate:  □ No pre-med					
□ Pre-medicate x 1 dose 30 minutes prior to	each infusion with:				
□ 1000 mg Acetaminophen PO		ng Solu-Medrol IV □ Other			
	, ,				
Additional orders/comments:					
Practice Name:	NPI:				
Physician Namo					
Physician Name:	Stat	e License:			
Physician Signature:	DEA	#:			
Date:	HIDI				