## Checklist for Evenity (romosozumab-aqqg)) Referral

Required documentation for all initial referrals

nequired desamentation for an initial referration							
Patient	nt	OOB	_ Date	New Start  Maintenance			
Please return completed checklist and checklist items for an infusion referral:							
	Patient demographics (e.g. address, phone number, SSN, etc.)						
	<ul> <li>Insurance information and copy of insurance card(s). Please indicate the insurance that is primary, and the insurance that is secondary, if applicable, and the subscriber's date of birth.</li> <li>If insurance requires prior authorization, please provide the phone number and allow up to 15-30 days for this to be completed by one of our Infusion Coordinators.</li> </ul>						
	Signed and completed Evenity Standard Order (our order form) with ICD diagnosis code  Standard Order forms are available at lowcountryrheumatology.com/infusions/						
	Supporting clinical MD notes to include any past tried and/or failed therapies, intolerance, outcomes or contraindications to conventional therapy, and how long patient has been on Evenity.						
	Lab results and/or tests to support diagnosis.  o Pre-Screening:						
	<ul><li>Required lab results within</li><li>Required bone density so</li></ul>	•	t 2 years				
	Please indicate name and direct phone nu any additional information:  O Name:		ithin your offi	ce that we can speak with to obtain			
	o Phone Number:						
Paperwork can be faxed to (843)-793-6181							
	Infusion Coordinator	rs can assist you v (843)-572-8932	vith any qu	estions at			

# Low Country Rheumatology Infusion Locations

Please mark preferred location and we will do our best to accommodate, however we cannot make any guarantees.

#### Summerville

2001 2nd Ave, Suite 201, Summerville, SC 29486

#### **Mount Pleasant**

1100 Johnnie Dodds Blvd, Mt. Pleasant, SC 29464

### **West Ashley**

2291 Henry Tecklenburg Drive, Charleston, SC 29414

Low Country Rheumatology Infusion Services will complete insurance verification and submit all required clinical documentation to the patient's insurance company for eligibility. Our Infusion Coordinators will notify you if any further information is required. The patient will have an annual 30-minute consult with our NP to obtain H&P for chart. We will review financial responsibility with the patient and refer them to any available co-pay assistance as required. Thank you for the referral!

Low Country Rheumatology Use Only	Existing Patient Yes No	Physician

# Standard Orders for Evenity (romosozumab-aqqg) Administration

Patient	DOBD	ate	
Indication:			
☐ M81.0 Senile Osteoporosis w/o fracture	☐ M81.8 Other Osteoporosis without current fx	□ Other	
☐ M80.0 Age-related Osteoporosis with current fx. Specify code for fx:		,	
□ Treatment of postmenopausal women with multiple risk factors for fracture □ Patients who have failed or are intolerant Patient must meet ONE of the following: □ Hip or vertebral fracture □ Other prior fractures and T-score □ T-score ≥ -2.5 (after appropriate □ T-score between -1.0 and -2.5 and □ T-score between -1.0 and -2.5 osteoporotic fracture ≥ 20%, based that the patient had a myocardial infarction  Orders: □ Standard Order Protocol: □ Instruct patient on medication adm □ Verify that labs are current and wit □ Counsel patient to take calcium 100 □ Obtain vital signs prior to subcutan □ Evaluate patient for active infection health concerns as noted on Infusion label to the patient to take calcium 100 □ Dose: □ Evenity 210 mg in 2 SQ injections of 1.17 maddomen for 12 months.  Frequency: □ Administer Evenity 210 mg subcutaneous Labs:	e between -1.0 and -2.5 evaluation to exclude secondary causes) ad secondary causes associated with high fra WITH a 10-year probability of hip fractur I on FRAX assessment or stroke within the preceding year?  Ininistration, possible side effects, and obtain thin normal limits 00 mg daily and at least 400 IU vitamin D da aleous administration ans, prior or upcoming surgical procedures, and anon Record infusion reaction protocol per Articularis H and solution (105mg each) administered once and solution (105mg each) administered once	ined as a history of osteoporotic fracture, or acture risk  le ≥ 3% or 10-year probability of any major  in signed consent for Evenity.  ily  ily  nedication allergies, COPD, or any current  lealthcare Policy and Procedure Manual.  appointment schedule  le every 1 month in upper arm, upper thigh or  last injection:  last injection:	
Practice Name:	NPI:		
Physician Name:	State License	e:	
Physician Signature:	DEA #:		
Date:	LIDINI	LIDINI	